

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

Baytex[®] 550

INSECTICIDE SPRAY

Active Constituent: 550 g/L FENTHION
(an anticholinesterase compound)
Solvent: 334 g/L XYLENE

GROUP 1B INSECTICIDE

A residual spray for control of flies, mosquitoes, spiders, ants and fleas outdoors

GENERAL INSTRUCTIONS

Do not spray directly on humans, exposed food or food utensils, food preparation areas, livestock feed or water, food storage areas or onto packing materials or in areas where such packaging is stored. Baytex 550 is suitable for application in a wide variety of situations. Its use on the outside of buildings, including homesteads, where treated surfaces are not exposed directly to rain, ensures the control of flies and spiders for up to 6-8 weeks and longer for mosquitoes.

Do NOT allow spray to contact ornamental plants as damage may occur.

Do NOT spray on vinyl cladding materials.

Do NOT spray coated metal surfaces. Immediately wipe off any overspray on such surfaces.

Do NOT treat sealed surfaces of artificial paving.

Insecticide Resistance Warning

For insecticide resistance management Baytex 550 is a group **1B** insecticide. Some naturally occurring insect biotypes resistant to Baytex and other group **1B** insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Baytex or other group **1B** insecticides are used repeatedly. The effectiveness of Baytex on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from failure of Baytex to control resistant insects.

Baytex may be subject to specific resistance management strategies. For further information contact your local supplier or Bayer Environmental Science representative.

Mixing

Mix the required quantity of Baytex 550 with water in the spray tank while stirring.

PROTECTION OF LIVESTOCK

Dangerous to birds. Do NOT spray poultry or poultry houses. Do NOT spray aviaries.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

Dangerous to fish. Cover fish tanks and ponds before using. Do NOT contaminate ponds, waterways and drains with this product or used container. Dangerous to bees. Do NOT spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL, PROTECTION OF OTHERS

Store in the closed, original container in a well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple rinse containers adding rinsings to the spray tank, or dispose of with empty container. Puncture top, bottom and sides of empty container, then crush and bury in an approved landfill, or bury under at least 500mm of soil in a non-crop, non-pasture area away from water sources or homes. Do not burn empty container or product.

SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact, inhaled, or swallowed. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing the spray, wear elbow length PVC gloves and face shield. If product on skin immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms, and face thoroughly with soap and water. After each day's use wash gloves, face shield, and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

If swallowed give one atropine tablet every 5 minutes until dryness of the mouth occurs – if poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

Additional Information is listed in the Material Safety Data Sheet.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Baytex® is a trademark of Bayer

NRA Approval No 32999/0799



ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S.
UN 3017
FOR 24 HOUR SPECIALIST ADVICE IN EMERGENCY ONLY PHONE 1800 033 111

DIRECTIONS FOR USE (ALL STATES):

SITUATIONS	PEST	RATE	CRITICAL COMMENTS
Outdoors and sub-floor areas of: Dairies, Stables, Meatworks (non-product areas), Commercial and Industrial areas, Domestic	Spiders	15 mL/L	Thoroughly spray spiders, their webs and crevices in which they hide. Do not remove webs for a few days
	Ants		Where possible locate the nest and spray thoroughly. Otherwise apply as a cover spray to areas where ants are active
	Fleas	20-30 mL/3L water/10 m ²	Use wetting agent and the higher rate on non-wetting soils. Pre-wetting the soil with a garden hose may be required on very dry soils. Thoroughly spray all infested areas and ensure pets present are treated with a suitable flea control product to avoid reinfestation.
	Flies	20 mL/L water/8 m ²	Apply as a coarse spray to walls and all other areas where flies alight or congregate.
	Mosquitoes	15 mL/L water/8 m ²	Adults: Apply as a coarse spray to all surfaces where mosquitoes congregate
		300 mL/ha	Larvae: Apply diluted in a convenient amount of water to each hectare of water in which mosquitoes are breeding.
Septic tanks		10 mL	Flush into the septic tank through the pedestal pan every four weeks.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

FLAMMABLE: KEEP AWAY FROM NAKED FLAME